

## Module 2 Unit 2

### DIELECTRICS – NUMERICAL PROBLEMS

- Avogadro's number  $N_0 = 6.023 \times 10^{23}/\text{mol}$
  - Permittivity of free space  $\epsilon_0 = 8.85 \times 10^{-12} \text{ F/m}$
1. Consider a parallel plate capacitor of area  $5 \text{ cm}^2$  having  $1 \text{ mm}$  gap between the plates. If the plates are charged to  $10^{-10} \text{ C}$ , calculate the resulting voltage when there is no medium between them and when there is a medium of dielectric constant 7.
  2. Two capacitors having same area of plates are made by using films of glass having thickness  $500 \text{ micron}$  and plastic of thickness  $250 \text{ micron}$ . Dielectric constant of glass is 5.8 and that of plastic is 3.2. Which capacitor would hold greater charge if they are subjected to the same voltage?
  3. A parallel plate capacitor is made of plates of area  $0.25 \text{ cm}^2$  separated by a material of dielectric constant 2.8 and thickness  $5 \text{ mm}$ . If the plates are applied with a potential difference of  $100 \text{ volt}$ , calculate charge, electric field, electric displacement and polarization produced.
  4. Calculate polarization and electric displacement if a medium of dielectric constant 4.7 is subjected to electric field of  $1000 \text{ V/m}$ .
  5. Consider a crystal subjected to electric field of intensity  $1000 \text{ V/m}$ . If induced polarization is  $4.5 \times 10^{-8} \text{ C/m}^2$ , calculate relative permittivity and dielectric susceptibility of the crystal.
  6. The concentration of hydrogen gas at NTP is  $9.8 \times 10^{26}/\text{m}^3$ . Calculate electronic polarizability and dielectric constant. Assume radius of atom to be  $0.53 \text{ \AA}$ .
  7. Calculate electronic polarizability of argon. Its dielectric constant is 1.00043 and atomic density is  $2.7 \times 10^{25}/\text{m}^3$ .
  8. The dielectric constant for helium is 1.000074. Calculate the dipole moment per atom when the gas is subjected to electric field of intensity  $8 \times 10^4 \text{ V/m}$ . Atomic density is  $2.7 \times 10^{25}/\text{m}^3$ .
  9. Dielectric constant of a material is 2.87 and its atomic density is  $3 \times 10^{28}/\text{m}^3$ . Calculate its electronic polarizability using Clausis-Mossotti equation. Also, calculate atomic dipole moment and total polarization produced. Electric field applied is  $5000 \text{ V/m}$ .
  10. Dielectric constant of neon is 1.000134. Calculate electronic polarizability of neon if radius of neon atom is  $0.735 \text{ \AA}$ . Hence, calculate density of neon gas if its atomic weight is 20.
-